



# Canadian Price List April 7, 2025

## Command Access Technologies



⚡ Always here to help ⚡

<b>TERMS &amp; TEAM</b>	<b>2</b>	<b>COMPLETE EXIT DEVICES</b>	<b>19</b>
<b>ELECTRIFIED MORTISE LOCKS</b>	<b>4</b>	<b>POWER SUPPLIES POWER</b>	<b>24</b>
<b>ELECTRIFIED CYLINDRICAL LOCKS</b>	<b>10</b>	<b>ACCESSORIES POWER</b>	<b>25</b>
<b>ADO WASHROOM PACKAGES</b>	<b>13</b>	<b>POWER TRANSFER HINGES</b>	<b>27</b>
<b>EXIT DEVICE TRIM</b>	<b>14</b>	<b>WIRE LOOPS</b>	<b>34</b>
<b>EXIT DEVICE MOTOR KITS</b>	<b>17</b>		



# CNA TERMS AND CONDITIONS FOR COMMAND ACCESS TECHNOLOGIES PRODUCTS

**PRICES:** All list prices are subject to change without prior notice and are not guaranteed. All prices are per unit (each) unless otherwise specified and do not include sales or local taxes. All shipments will be made at prices prevailing at time of shipment.

**Tariffs:** CNA will do our best to keep the customer informed of any additional tariff charges. These charges will be a separate line on the invoice.

**EXPEDITE FEE:** A customer may request that an order be expedited. An additional charge may occur in addition the cost of the expedited items may be charged. Expedite lead times are subject to availability. Please call for approval.

**PAYMENT TERMS:** The standard credit terms of Connection Network Agencies (herein called CNA) are NET 30 unless otherwise negotiated.

**ACCEPTANCE OF ORDERS AND/OR QUOTATIONS:** Possession of prices from CNA does not commit CNA to accept any order. CNA reserves the right to refuse any order and will not be bound to fulfill any order until it has been accepted by a representative of CNA and confirmed by a written acknowledgement. Quotations are valid for thirty (30) days following the date of the quotation.

**OPEN ACCOUNT STATUS:** CNA reserves the right to decline or discontinue direct sales to any customer who does not meet an annual minimum sales requirement of **\$3,500 CDN** in invoiced purchases.

**ACKNOWLEDGEMENTS:** An acknowledgement is an exact copy of a customer's order as entered by CNA and should be verified by the customer. If the acknowledgement does not agree with said customers understanding CNA should be advised ASAP on stock orders and within three (3) days on factory orders. CNA's sales terms shall apply irrespective of any special stipulation appearing in customer order, unless specifically acknowledged and accepted by CNA.

**RETURNED GOODS:** The customer must advise customer service at CNA of merchandise to be returned and a Returned Goods Authorization (RGA) will be issued. CNA will not accept goods returned without an RGA. Full credit against further purchases or a replacement will be made at the option of CNA if upon investigation reveals that goods were shipped in error or if goods are defective in workmanship or material. Otherwise, a restocking fee of not less than (25) twenty-five percent will be charged on non-stock items All C.O.D. orders shipped to CNA will be refused. Returned goods must be packed in their original boxes. If product has been installed it cannot be returned but only repaired, please consult factory for repair costs (unless under warranty). No credit will be given for product not in its original form unless, upon CNA's inspection, product is found to be defective. If product is returned as defective and is found to be operational, product will be returned to customer (C.O.D.) and no credit will be issued.

**MINIMUM CHARGE:** No order will be invoiced for less than \$25.00 net plus shipping charges.

**CHANGES OR CANCELLATIONS:** When a special order is accepted, and entered, no change can be made, and the order is non-cancellable. Cancellation for items already packed for shipment will be removed if possible. A twenty-five percent (25%) restocking fee will apply.

**CLAIMS OR SHORTAGES:** Every possible care is taken in the final examination of packing of goods, and no complaints will be accepted unless made promptly upon receipt of goods. No claim will be allowed for work done by others, consequential damages or other expenditure, and CNA's understanding to repair or replace defective goods is its only liability. No claim for damage shortage or loss in transit will be accepted unless notice is given in writing to the carrier and to CNA within (5) five business days of receipt of goods.

**BACK CHARGES:** CNA is not responsible for, does not authorize, and will not accept any charges for the cost of labor, travel or material incurred by anyone other than CNA for any installation, repair, service, or replacement unless incurred with CNA's prior written consent and agreement.

**FREIGHT CHARGES:** All goods are invoiced F.O.B. CNA, Dundas, Ontario. Orders exceeding \$5000 will have shipping paid by CNA.

**PRODUCT CHANGES OR CANCELLATIONS:** CNA/Command Access Technologies (herein CAT) reserves the right to modify or discontinue any price, product, design, function and finish without prior notice.

**PRODUCT FINISHES:** Although CAT modifies products with the finest protective coatings, they do have their limitations. In time, they might deteriorate from extremes in climate, frequency of use, perspiration, or other factors. CAT does not consider excessive wear or tarnishing of the finish because of any of the above conditions as a defect. It is considered a normal process, which cannot be avoided. Thus, CAT cannot guarantee product finishes and will not repair or replace finishes under this warranty.

# COMMAND TEAM ROSTER

**DAYENA CHERRY**

CSR TEAM MEMBER  
DC@COMMANDACCESS.COM

**JORDAN HENDERSON**

CSR TEAM MEMBER  
JH@COMMANDACCESS.COM

**DANNY LOPEZ**

CSR TEAM MEMBER  
DL@COMMANDACCESS.COM

**HAYLI THURMAN**

CSR TEAM MEMBER  
HT@COMMANDACCESS.COM

**JOHN VAN ANDRIGHAM**

TECH SUPPORT LEAD  
JV@COMMANDACCESS.COM

**SARAH AFARIAN**

CSR MANAGER  
SA@COMMANDACCESS.COM

**BRIAN KENLEY**

DIRECTOR OF TECHNICAL SERVICES  
BWK@COMMANDACCESS.COM

**JERRAD FREYMUTH**

DIRECTOR OF SALES  
JF@COMMANDACCESS.COM

**MATEO KRISTOFF**

VP SALES & MARKETING  
MK@COMMANDACCESS.COM



**WORLD HEADQUARTERS: 22901 LA PALMA AVE., YORBA LINDA CA 92887**

**Canadian Warehouse: 1 Head St, Dundas ON., L9H 3H3**



## WHAT ALWAYS HERE TO HELP MEANS...

- We answer the phone with a **live voice**, Monday thru Friday 7:30AM - 4:00PM PST (California)
- Connection Network Agencies Customer Service M-F 9:00AM -5:00PM EST (Canada)
- Our customer service department strives to **deliver excellent customer satisfaction**
- CAT **live chat** is operated by our customer service team making it easy to get a hold of us
- **CNA ships in stock product in 24-48 hours**
- Non stock or custom products are 3-4 weeks from CNA
- If we make a mistake, we are committed to making it right
- Our website is user friendly and expanding daily with information & demonstration videos
- We have competent, reachable technical support everyday during business hours
- Anyone who needs our support gets it
- We are willing to train on site, at your customers or via webinar
- We take good mechanical products & make them better electromechanical products
- We will ship replacement products as soon as possible, usually within the next business day
- We strive to acknowledge your order within 24 hours
- All of our documents, including acknowledgments, invoices, statements, and RMA's will be emailed

Connection Network Agencies Customer Support 1-855-823-3002



**LIMITED WARRANTY:** Command Access Technologies warrants that its products are free from defects in workmanship and material under normal use and service. Since CAT does not control product usage, CAT makes no representation as to the degree of security conveyed by the use of any product. This warranty does not cover defects or damage which occur from improper maintenance, improper storage, improper installation, shipping and handling, ordinary wear and tear, misuse, abuse, accidents, unauthorized service, work done by others or consequential damages. CAT will not pay for the cost of repair performed other than in accordance with this warranty. CAT can only perform authorized warranty work at the factory. CAT's only liability, in tort or contract, whether under this warranty or otherwise, is limited to providing repair or replacement of any product or component part which is proven to be defective as covered by the warranty, within three (3) years after delivery from CAT to the original purchaser. Written notice of a product or component part believed to be defective, as covered by this warranty, should be sent to Command Access Technologies 22901 La Palma Avenue, Yorba Linda, CA 92887. Include Claimant's name, address, phone, and identification of the product, invoice number and date, and a brief description of the defect. Upon receipt of such notice, a CAT representative will contact claimants to where to ship such product or component part, with shipping charges prepaid, for examination and, in the event such examination reveals a defect covered by this warranty, the product will be repaired (existing product installed 6+ months) or replaced (all new installations of 6 months or less). This warranty is in lieu of all other express warranties. To the extent permitted by law, all implied warranties are limited to the duration of this warranty. CAT shall not be liable for any incident or consequential damages. Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages, so the above may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary, from state to state.








# LATCH RETRACTION MORTISE LOCKS

## LPM190X SERIES



The **LPM190X** series is a **motorized latch retraction mortise** lockset that is compatible with Schlage trim and prep. Latch retraction makes it an ideal lock for pairing with auto-operators, double doors, push/pull conditions & single occupancy restroom applications. Available with lever control solenoid for latch retraction x lever control allowing for multiple specialty functions.

- Motorized Latch Retraction
- Retrofits to Schlage L9000 series
- Grade 1 UL listed
- Available with REX, LBM, & DPS
- Input voltage 24VDC
- Current Peak 1A
- Holding current 300mA
- Lever control EU/EL field changeable

PART #	COMPLETE LOCK LIST \$	CHASSIS ONLY LIST \$	IN-STOCK TRIM							IN-STOCK FINISHES			KEYWAY		OPTIONAL SWITCHES				
							B	ROSE		626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS
LPM1910 <sup>1</sup>	\$1575	\$1155	L3	L6	L7	L17	+\$35	+\$105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM190 <sup>1</sup>	\$1575	\$1155	L3	L6	L7	L17	+\$35	+\$105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM192 <sup>1</sup>	\$1595	\$1175	L3	L6	L7	L17	+\$35	-	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM193 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	+\$105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM194 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	+\$105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM195 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	-	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM196 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	-	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	<sup>-2</sup>	
LPM197 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	-	✓	✓	✓	-	✓	+\$250	+\$110	+\$165	+\$165	<sup>-2</sup>	
LPM198 <sup>1</sup>	\$1865	\$1445	L3	L6	L7	L17	+\$35	-	✓	✓	✓	-	✓	+\$250	+\$110	+\$165	+\$165	<sup>-2</sup>	

1. LPM180 Solenoid Series - Limited Availability - Call for Pricing  
2. See IDPS Series for Door Postion option

## EXAMPLES

### CHASSIS ONLY

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #	
Part #	-	LPM190-M	EU	CH	24V	-	-	REX LBM	-	LPM190-M EU CH REX LBM	
List \$	-	\$1155	-	-	-	-	-	+\$330	-	\$1485	

### COMPLETE LOCK

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #	
Part #	-	LPM192-M	EU	L3B	24V	626	S		QC	LPM192-M EU L3B 24V 626 S QC	
List \$	-	\$1595	-	+\$35	-	-	-		\$70	\$1680	

# ELECTRIFIED MORTISE LOCKS



FOR MODIFICATION, CHASSIS ONLY AND COMPLETE LOCKS

## PREFIX or SUFFIX

MD - Modification - Prefix  
CH - Chassis Only - Suffix

## MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

## VOLTAGE

12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V

## OPTIONAL SWITCHES

REX - Request-to-Exit DBM - Deadbolt Monitor  
DPS - Door Position Switch  
LBM - Latchbolt Monitor

## M-OPTION FOR MORTISE LOCK





For Command Access & Schlage model #s only.  
• Intelligent auto voltage sensing 11-30 VDC  
• Extremely low holding current = motorized  
• Field selectable EU/EL with press of a button

FOR AND COMPLETE LOCKS ONLY

## TRIM

 - Tubular  
 - Bent

 - Straight  
 - Curved



- Escutcheon

## FINISH (BHMA std)

613 - Oil Rubbed Bronze 626 - Satin Chrome  
625 - Polished Chrome

### SPECIAL ORDER

605 - Polished Bronze 612 - Satin Bronze  
606 - Satin Brass 630 - Satin Stainless

## KEYWAY

S - "C" Kwy Standard SFIC - Small Format I/C Prep  
LC - Less Cylinder LFIC - Factory Large Format I/C Prep

## ACCESSORIES

Faceplates - Storeroom function in specified finishes  
Strikes - 4-7/8" ASA Strike in specified finishes  
CRU2 - Current Reduction Unit (AC & DC input)  
4 Lead - 4' Wire Lead to switches  
10 Lead - 10' Wire lead to switches  
QC - Molex Connectors  
BR1 - Bridge Rectifier w/ 12" lead (included)  
BR5 - Bridge Rectifier w/ 5' lead

## EXAMPLE

### CHASSIS ONLY

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #
Part #	-	ML19092	EU	CH	-	-	-	REX LBM	-	ML19092 EU CH REX LBM
List \$	-	\$690	-	-	-	-	-	+\$330		\$1020

### COMPLETE LOCK

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #
Part #	-	ML1485	EU	L3B	24V	626	SC	REX	QC	ML1485 EU L3B 24V 626 S REX QC
List \$		\$1140	-	+\$35	-	-	-	+\$165	+\$70	\$1410

# COMMAND ACCESS ML1 SERIES

## COMMAND ACCESS COMPLETE LOCK RETROFIT SCHLAGE L9000

Specify Voltage. Field Hand-able. Fail Secure/Fail Safe. LFIC = Schlage compatible housing

# 1 SERIES

## SOLENOID LOCKS

COMPLETE LOCK LIST \$

CHASSIS ONLY LIST \$

IN-STOCK TRIM






IN-STOCK FINISHES

KEYWAY

OPTIONAL SWITCHES

Specify Voltage, Field Hand-able, Fail Secure/Fail Safe, LFIC = Schlage compatible housing

✓ or \$ = Available  
- = Not Available

PART #	COMPLETE LOCK LIST \$	CHASSIS ONLY LIST \$					B	ROSE		626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM	
ML170EU/EL	\$995	\$575	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	-	-
ML180EU/EL	\$995	\$575	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	+\$165	-
ML182EU/EL	\$1070	\$650	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+\$250	+\$110	+\$165	+\$165	+\$165	-
ML1480EU/EL	\$1090	\$670	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	-	+\$165
ML1482EU/EL	\$1100	\$680	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+\$250	+\$110	+\$165	+\$165	-	+\$165
ML1485EU	\$1140	\$720	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+\$125	+\$55	+\$165	+\$165	-	+\$165

✓ or \$ = Available  
- = Not Available



## MOTORIZED LOCKS

ML19092-M	\$1110	\$690	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓			+	\$125	+	\$55	+	\$165	+	\$165	+	\$165	-
ML19095-M	\$1170	\$750	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓			+	\$250	+	\$110	+	\$165	+	\$165	+	\$165	-

## MECHANICAL LOCKS

ML1010	\$740	\$320	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+	\$125	+	\$55	+	\$165	+	\$165	+	\$165	-
ML1040	\$750	\$330	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+	\$125	+	\$55	+	\$165	+	\$165	-		
ML1053	\$785	\$365	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+	\$125	+	\$55	+	\$165	+	\$165	-	+	\$165
ML1050/70	\$765	\$345	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+	\$125	+	\$55	+	\$165	+	\$165	+	\$165	-
ML1080	\$765	\$345	L3	L6	L7	L17	+	\$35	+	105	✓	✓	✓	-	✓	+	\$125	+	\$55	+	\$165	+	\$165	+	\$165	-
ML1082	\$780	\$360	L3	L6	L7	L17	+	\$35	-		✓	✓	✓	-	✓	+	\$250	+	\$110	+	\$165	+	\$165	+	\$165	-

## COMMAND ACCESS

## RETROFIT CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. Includes 626 faceplate & strike (other finishes available upon request at an upcharge \$60).

✓ or \$ = Available  
- = Not Available

## MRC1 SERIES

	PART #	LIST \$	626	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
BEST 35 SERIES	MRC135D EU/EL	\$780	✓	-	-	✓	-	+\$165	+\$165	+\$165	-
	MRC135W EU/EL	\$780	✓	-	-	✓	-	+\$165	+\$165	+\$165	-
CAL ROYAL 8800 SERIES	MRC18080 EU/EL	\$780	✓	✓	+\$60	+\$125	+\$55	+\$165	+\$165	+\$165	-
	MRC18082 EU/EL	\$780	✓	✓	+\$60	+\$250	+\$110	+\$165	+\$165	+\$165	-
CORBIN RUSSWIN 2000 SERIES	MRC105/03 EU/EL	\$780	✓	✓	+\$60	+\$125	+\$55	+\$165	+\$165	+\$165	-
	MRC104/01 EU/EL	\$780	✓	✓	+\$60	+\$250	+\$110	+\$165	+\$165	+\$165	-
FALCON MA SERIES	MRC181/51 EU/EL	\$780	✓	✓	+\$60	+\$125	+\$55	+\$165	+\$165	+\$165	-
	MRC121/11 EU/EL	\$780	✓	✓	+\$60	+\$250	+\$110	+\$165	+\$165	+\$165	-
	MRC1681/51 EU/EL	\$800	✓	✓	+\$60	+\$125	+\$55	+\$165	+\$165	-	+\$165
SARGENT 8200 SERIES	MRC1370/71 EU/EL	\$780	✓	✓	+\$60	+\$125	+\$55	+\$165	+\$165	+\$165	-
	MRC1373/11 EU/EL	\$780	✓	✓	+\$60	+\$250	+\$110	+\$165	+\$165	+\$165	-






Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



# ELECTRIFIED MORTISE LOCKS

✓ or \$ = Available  
- = Not Available

## ACCURATE

LIST \$				Stock Trim Styles				Stock Finishes			Keyway			Optional Switches					
PART #	COMPLETE LOCK List \$	CHASSIS ONLY List \$	MODIFICATION ONLY List \$						626	625	613	LC	SC	SFC (less core)	LFIC ((less core)	Request to Exit (REX)	Latchbolt Monitor (LBM)	Door Position (DPS)	Dadbolt Monitor

**MODIFICATION ONLY (Customer's Accurate 9145/FSB 7145 Chassis)**  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing.

[illegible]

# ARROW

MODIFICATION ONLY (Customer's AM17 or BM17 Chassis) - Specify EU or EL, Voltage and Handing.

[illegible]

## BEST 45

**MODIFICATION (Customer's Best 45HD, 45HAB & 45HUNAB Chassis) - CHASSIS ONLY / COMPLETE LOCK**  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. Special order items and finishes available. Faceplates & Strikes available in 626

Strikes available in 626																				
FUNCTION	PART #	COM \$	CH \$	MD \$						626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
STOREROOM	ML45DEU/EL	-	-	-	3H	15H	-	14H	M*					-	-	-	-	-	-	-
INSTITUTIONAL	ML45WEU/EL	-	-	-	3H	15H	-	14H	-					-	-	-	-	-	-	-
ENTRANCE W/DB	ML453DEU/EL	-	-	-	3H	15H	-	14H	-					-	-	-	-	-	-	-
PRIVACY W/ DB	ML453TEU	-	-	-	3H	15H	-	14H	-					-	-	-	-	-	-	-

## CAL ROYAL

**MODIFICATION (Customer's Cal Royal M8080 & M8453 Chassis) / COMPLETE LOCK**  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing.

FUNCTION	PART #	COM \$	CH \$	MD \$	TS	SS	GS	JS	626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
STOREROOM	ML8080EU/EL		-		TS	SS	GS	JS	-	✓	✓	✓	-	✓				-	-
ENTRANCE W/DB	ML8053EU/EL		-		TS	SS	GS	JS	-	✓		✓	-	✓				-	-

**CORBIN RUSSWIN**

**MODIFICATION (Customer's Corbin ML2057 Chassis)**  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626 (see page 9 for pricing)

FUNCTION	PART #	COM \$	CH \$	MD \$	626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
STOREROOM	ML05EU/03EL	-		-	-	-	-	-	✓	CALL	CALL	✓	✓		-
INSTITUTIONAL	ML04EU/01EL	-		-	-	-	-	-	✓	CALL	CALL	✓	✓		-

## FALCON

**MODIFICATION (Customer's Falcon MA 561/31 Chassis)**  
Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626 (see page 9 for pricing)

STOREROOM	ML81EU/51EL	-	-		<b>SEE MRC1 SERIES FOR CHASSIS ONLY</b>													-	-
INSTITUTIONAL	ML21EU/11EL	-	-															-	-
ENTRANCE W/DB	ML681EU/EL	-	-															-	-

1. Not available on deadbolt models
2. Call for availability of deadbolt trims.



# ELECTRIFIED MORTISE LOCKS



✓ or \$ = Available  
- = Not Available

LIST \$				Stock Trim Styles					Stock Finishes			Keyway				Optional Switches			
PART #	COMPLETE LOCK List \$	CHASSIS ONLY List \$	MODIFICATION ONLY List \$						626	625	613	\$	LC	SFIC (less core)	LFIC (less core)	Request to Exit (REX)	Latchbolt Monitor (LBM)	Door Position (DPS)	Deadbolt Monitor

## SARGENT

MODIFICATION (Customer's Sargent 8237 Chassis) / CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU). Faceplates & Strikes available in 613, 625, 626  
(see page 9 for pricing). Fire link is removed for LBM.

STOREROOM	ML371EU/70EL	-			-	-	-	-	-	✓	-	✓	✓	✓				-	-
INSTITUTIONAL	ML373EU/11EL	-			-	-	-	-	-	✓	-	✓	✓	✓				-	-

## SCHLAGE

MODIFICATION (Customer's Schlage L9050/9070 & L9453 Chassis) / CHASSIS ONLY / COMPLETE LOCK

Specify Voltage. Faceplates & Strikes available in 613, 625, & 626. Call Factory for other finishes

FUNCTION	PART #	COM \$	CH \$	MD \$						626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
CLASSROOM	ML70EU/EL				03	06	Call	17	Call	✓	✓	✓	✓	✓					-	-
STOREROOM	ML80EU/EL				03	06	Call	17	Call	✓	✓	✓	✓	✓						
INSTITUTIONAL	ML82EU/EL				03	06	Call	17	Call	✓	✓	✓	✓	✓						
ENTRANCE W/DB	ML480EU/EL				03	06	Call	17	Call	✓	✓	✓	✓	✓					-	
INSTITUTIONAL W/DB	ML482EU/EL				03	06	Call	17	Call	✓	✓	✓	✓	✓					-	
PRIVACY w/DB	ML485EU				03	06	Call	17	Call	✓	✓	✓	✓	✓					-	



**MOTORIZED LOCKS** 11-30V, Field Selectable Fail Secure/Fail Safe. Field Hand-able. LFIC = Schlage compatible housing

FUNCTION	PART #	COM \$	CH \$	MD \$						626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
STOREROOM	ML92-M EU/EL				03	06	07	17	L/N	✓	✓	✓	✓	✓					-	-
INSTITUTIONAL	ML95-M EU/EL				03	06	07	17	L/N	✓	✓	✓	✓	✓					-	-

## YALE

MODIFICATION (Customer's Yale 8808 Chassis) / CHASSIS ONLY

Specify Voltage, Fail Safe (EL) or Fail Secure (EU) and Handing. Faceplates (List \$57) & Strikes available in 626 (see page 9 for pricing). Fire link is removed for LBM.

FUNCTION	PART #	COM \$	CH \$	MD \$						626	625	613	LC	SC	SFIC	LFIC	REX	LBM	DPS	DBM
STOREROOM	ML91EU/90EL	-			-	-	-	-	CALL	✓	-	-	✓	✓					-	-
INSTITUTIONAL	ML95EU/94EL	-			-	-	-	-	CALL	✓	-	-	✓	✓					-	-



# ACCESSORIES


## MORTISE LOCK SWITCH OPTIONS

**REX** - Request to Exit or AE switch available - sends a signal to alert the control panel that the door is about to be opened by someone intending to exit from within the secured area.

**LBM** - Latchbolt Monitor switch available - sends a signal to the control panel to monitor the position of the latchbolt.

**DPS** - Door Position switch available - sends a signal to the control panel to monitor the position of the door.

**DBM** - Deadbolt Monitor switch available - sends a signal to the control panel to monitor the position of the deadbolt.



PART #	DESCRIPTION	W/ Electrification	W/O Electrification
CATREXKIT-ML <sup>1</sup>	Command Access ML1-series mortise lock field installable REX (Request to Exit) kit	\$165	-
CATLBMKIT-ML <sup>1</sup>	Command Access ML1-series mortise lock field installable LBM (Latchbolt Monitor) kit	\$165	-
CATREXLBMKIT-ML <sup>1</sup>	Command Access ML/Schlage L-series mortise lock field installable LBM (Latchbolt Monitor) + REX (Request to Exit) kit	\$330	-
SCHREXKIT-ML <sup>1</sup>	Schlage L-series mortise lock field installable REX (Request to Exit) kit	\$165	-
SCHREXKIT-FE-ML <sup>2</sup>	Schlage L909x-series mortise lock field installable REX (Request to Exit) kit	\$175	-
SGTREXKIT-ML	Sargent 2000 series mortise lock field installable REX (Request to Exit)	\$165	-
REXBYPASS	Request to Exit By Pass switch installed in Mortise Lock (CAT/SCH)	\$225	Call
LBM	Latch Bolt Monitor switch installed in Mortise Lock	\$165	Call
DPS	Door Position switch installed in Mortise Lock	\$165	Call
DBM	Deadbolt Monitor switch installed in Mortise Lock	\$165	Call
REX	Deadbolt Monitor	\$165	Call

1. Requires the lock body to be opened for installation.

2. Only compatible with new Schlage L909x Lock Body with Cutout for REX.

## ACCESSORIES & REPLACEMENT FOR MORTISE LOCKS

FACEPLATE	Storeroom or Deadbolt function in specified finish	\$95
STRIKE	4-7/8" ASA Strike in specified finish	\$95
Lead Lining	Add Lead Lining to CAT or Schlage Mortise Lock	\$975
I/O Mounting Plate	Inside Only Mounting Plate for CAT/Schlage trim for less outside trim applications.	\$175
CRU	Current Reduction Unit	\$95
4' LEAD	Add 4' lead to any switch (per switch)	\$70
BR1	Bridge Rectifier w/ 12" Lead	\$50
BR5	Bridge Rectifier w/ 5' Lead	\$65
QC/CON	8-pin or 12-pin Molex Connectors added to locking device retrofit Electro Lynx or Allegion Connect	\$70
QC/CON w/ Lead 3-5'	8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit Electro Lynx or Allegion Connect	\$105
QC/CON w/ Lead 10-20'	8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to QC prepped power transfer hinge	\$185
Door Cord QC/CON	3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge	\$130
SOL-ML	Mortise Lock Replacement Solenoids (Specify brand, EU or EL & Voltage)	\$275


Allegion Connect® is a registered trademark of Allegion  
ElectroLynx® is a registered trademark of Assa Abloy

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.


www.commandaccess.com | US Customer Support 888.622.2377




# ELECTRIFIED CYLINDRICAL LOCK




CL93



CL190



CLN80



LPC190

FOR MODIFICATION AND COMPLETE LOCKS

## PREFIX

MD - Modification

## MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

## VOLTAGE

12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V  
LE = Universal Input 11-30V

## OPTIONAL SWITCHES

REX - Request-to-Exit



FOR COMPLETE LOCKS ONLY

## TRIM



- Tubular  
- Bent



- Straight  
- Curved

## FINISH (BHMA std)

605 - Polished Bronze

625 - Polished Chrome

613 - Oil Rubbed Bronze

626 - Satin Chrome

*SPECIAL ORDER*

606 - Satin Brass

612 - Satin Bronze

## KEYWAY

SC - "C" Kwy Standard SFIC - Small Format I/C Prep

LC - Less Cylinder

LFIC - Factory Large Format I/C Prep

## ACCESSORIES

Strikes - 4-7/8" ASA Strike in specified finishes

CRU2 - Current Reduction Unit (AC & DC input)

4 Lead - 4' Wire Lead to switches

10 Lead - 10' Wire lead to switches

QC - Molex Connectors

BR1 - Bridge Rectifier w/ 12" lead (included)

BR5 - Bridge Rectifier w/ 5' lead

EXAMPLE

### COMPLETE LOCK

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #
Part #	-	CL180	EU	L6	24V	626	SFIC	REX	-	CL180 EU L6 24V 626 SFIC REX
List \$	-	\$585	-	-	-	-	-	\$165	-	\$750

# ELECTRIFIED CYLINDRICAL LOCK



## COMMAND ACCESS CL1 COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 605\*, 612\*, 613, 625, 626. 2-3/8" backset List \$35

FUNCTION	PART #	COM \$					626	625	613	LC	SC	SFIC	LFIC <sup>2</sup>	REX
STOREROOM	CL180EU/EL	\$585	-	L6	L7 <sup>3</sup>	L17	✓	✓	✓	-	✓	✓	✓	+\$165
LE STOREROOM <sup>1</sup>	CL180-LE EU/EL	\$770	-	L6	L7*	L17	✓	✓	✓	-	✓	✓	✓	✓

1. Universal input 11-30V  
2. Available in L6 626 only

3. Limited availability, please call to confirm stock.  
\*2-3/8" backset available list \$35

✓ or \$ = Available  
- = Not Available

## COMMAND ACCESS CL1-HD COMPLETE LOCK

Automatically senses 12v or 24v. Typically Stocked Finishes - 605\*, 612\*, 613, 625, 626. 2-3/8" backset List \$35

FUNCTION	PART #	COM \$					626	625	613	LC	SC	SFIC	LFIC <sup>2</sup>	REX
MOTORIZED STOREROOM	CL190HD-M EU/EL	\$980	-	L6	L7 <sup>3</sup>	L17	✓	✓	✓	-	✓	✓	✓	+\$165

✓ or \$ = Available  
- = Not Available

## COMMAND ACCESS LPC1-HD COMPLETE LOCK

1st of its kind motorized latch retraction in a cylindrical lock, 24v. Typically Stocked Finishes, backset List \$35

FUNCTION	PART #	COM \$					626	625	613	LC	SC	SFIC	LFIC <sup>2</sup>	REX
STOREROOM	LPC190-HD EU	\$1375	-	L6	L7 <sup>3</sup>	L17	✓	✓	✓	-	✓	✓	✓	+\$165
PASSAGE	LPC110-HD EU	\$1375	-	L6	L7*	L17	✓	✓	✓	-	✓	✓	✓	✓

✓ or \$ = Available  
- = Not Available

## BEST

### MODIFICATION (Customer's Best 93K Series) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 626. C & D Roses Available

FUNCTION	PART #	COM \$	MD \$					626	625	613	LC	SC	SFIC	LFIC	REX
STOREROOM	CL93D EU/EL			-	15	-	14	✓	-	-	✓	✓	✓	-	

## CAL ROYAL

### MODIFICATION (Customer's Cal Royal CGN05) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626.

FUNCTION	PART #	COM \$	MD \$					626	625	613	L	SC	SFIC	LFIC	REX
STOREROOM CLUTCH	CLCR05 EU/EL			-	-	-	-	✓	✓	✓	✓	✓	✓	✓	

## CORBIN RUSSWIN

### MODIFICATION (Customer's Corbin CL3357) / COMPLETE LOCK

Specify Voltage. Typically Stocked Finishes - 613, 625, 626.

FUNCTION	PART #	COM \$	MD \$					626	625	613	LC	SC	SFIC	LFIC	REX
STOREROOM	CL05 EU			-	NZD	-	PZD	✓	-	-	✓	✓	-	✓	
STOREROOM	CL03 EL			-	NZD	-	PZD	✓	-	-	✓	✓	-	✓	

## LSDA

### MODIFICATION ONLY (Customer's LSDA C5400 Grade One Lock)

Specify Voltage.

FUNCTION	PART #	COM \$	MD \$					626	625	613	LC	SC	SFIC	LFIC	REX
STOREROOM CLUTCH	CLC5400 EU/L	-		-	-	-	-	-	-	-	-	-	-	-	

## MARKS

MODIFICATION ONLY (Customer's Marks 195F)  
Specify Voltage.

✓ or \$ = Available  
- = Not Available

FUNCTION	PART #	COM \$	MD \$	4	4	4	4	626	625	613	LC	SC	SFIC	LFIC	REX
STOREROOM	CLF95 EU/EL	-		-	-	-	-	-	-	-	-	-	-	-	

## SARGENT

MODIFICATION (Customer's Sargent 10G04) / COMPLETE LOCK  
Specify Voltage. Typically Stocked Finishes - 613, 625, 626. Call for availability.

FUNCTION	PART #	COM \$	MD \$	4	4	4	4	626	625	613	LC	SC	SFIC	LFIC	REX
STOREROOM	CL371 EU			-	✓	-	✓	-	-	-	✓	✓	-	✓	
STOREROOM	CL370 EL			-	✓	-	✓	✓	-	-	✓	✓	-	✓	

## SCHLAGE

MODIFICATION (Customer's Schlage ND12PD, ND70PD, ND80PD, ND94PD, ND96PD) / COMPLETE LOCK  
Specify Voltage. Typically Stocked Finishes - 613, 625, 626. Classic 'C' type keyway comes standard.

FUNCTION	PART #	COM \$	MD \$	4	4	4	4	626	625	613	LC	SC	SFIC/BD	LFIC/JD	REX
CLASSROOM	CLN70 EU/EL			-	RHO	ATH*	SPA	✓	✓		-	✓		✓	
STOREROOM	CLN80 EU/EL			-	RHO	ATH*	SPA	✓	✓		-	✓		✓	
STOREROOM CLUTCH	CLN96 EU/EL			-	RHO	ATH*	SPA	✓	✓		-	✓		✓	

Add \$35 list for Schlage original C & Everest C123.  
Add \$15 list for Control Key.  
Add \$70 List net for PD & TD

\*Athens Handle Style Only Available in PD - 626

## ACCESSORIES & REPLACEMENT FOR CYLINDIRCAL LOCKS

CATREXKIT-CL	REX (Request to Exit) installed on CAT CL1 spring cage field installable) kit	\$165
SCHREXKIT-CL	Schlage ND series Anti-Rotation Plate with Request to Exit (REX) switch installed	\$165
REX	Request to Exit (REX) switch installed installed on cylindrical lock	\$165

## ACCESSORIES & REPLACEMENT FOR CLYLINDRICAL LOCKS

STRIKE	Standard ASA Strike in specified finish	\$95
CRU	Current Reduction Unit	\$70
4' LEAD	Add 4' lead to any switch (per switch)	\$50
BR1	Bridge Rectifier w/ 12" Lea	\$50
BR5	Bridge Rectifier w/ 5' Lea	\$65
QC/CON	8-pin or 12-pin Molex Connectors added to locking device retrofit Electro ynx or Allegion Connect	\$70
QC/CON w/ Lead 3-5'	8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit Electro ynx or Allegion Connect	\$105
QC/CON w/ Lead 10-20'	8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to to QC prepped power transfer hinge	\$185
Door Cord QC/CON	3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge	\$130
SOL-CL	Cylindrical Lock Replacement Solenoids (Specify brand, EU or EL & Voltage) Factory replacement only	\$275

Allegion Connect® is a registered trademark of Allegion

ElectroLynx® is a registered trademark of Assa Abloy

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.

www.commandaccess.com | US Customer Support 888.622.2377





# PACKAGES

## COMMAND ACCESS UNIVERSAL BATHROOM PRIVACY KIT

### UBPK1


Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. *All you need to add is low energy operator of choice.*

### UBPK2




Includes everything needed for a single occupancy restroom ADA accessible & secure insuring privacy. **Includes heavy duty low energy operator.**

#### PERFECT SOLUTION FOR SINGLE OCCUPANCY + ADA

- PACKAGE SOLUTION INCLUDES POINT-TO-POINT WIRING DIAGRAM
- PEACE OF MIND - INCLUDES EVERYTHING YOU NEED
- UBPK2 INCLUDES OUR LOCKING HARDWARE AO W/ ON-BOARD POWER & RELAY BOARD
- TOUCHLESS PACKAGE STANDARD



**INCLUDED WITH UBPK1**



#### LOW ENERGY OPERATOR



**INCLUDED WITH UBPK2**



**ADD ON EMERGENCY KIT**




**SEE IT IN ACTION!**

UBPK1-FM-EUxEL	Includes: PS220B, LPM193 Complete Lock (latch retraction EU x lever control EL), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock) IDPS door contact, power transfer hinge, Flush mounted push buttons.	\$4400
UBPK1-FM-EUxEU	Includes: PS220B, LPM194 Complete Lock (latch retraction EU x lever control EU), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock), IDPS door contact, power transfer hinge, Flush mounted push buttons.	\$4400
UBPK1-SM-EUxEL	Includes: PS220B, LPM193 Complete Lock (latch retraction EU x lever control EL), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock), IDPS door contact, power transfer hinge, Surface mounted push buttons.	\$4400
UBPK1-SM-EUxEU	Includes: PS220B, LPM194 Complete Lock (latch retraction EU x lever control EU), Logic Module, Illuminated Outside/Inside (Push to Open & Push to Lock) IDPS door contact, power transfer hinge, Surface mounted push buttons.	\$4400
UBPK2-FM-EUxEL	Includes: Low Energy Operator, LPM193 Complete Lock (latch retraction EU x lever control EL), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Flush mounted push buttons.	\$CALL
UBPK2-FM-EUxEU	Includes: Low Energy Operator, LPM194 Complete Lock (latch retraction EU x lever control EU), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Flush mounted push buttons.	\$CALL
UBPK2-SM-EUxEL	Includes: Low Energy Operator, LPM193 Complete Lock (latch retraction EU x lever control EL), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Surface mounted push buttons.	\$CALL
UBPK2-SM-EUxEU	Includes: Low Energy Operator, LPM194 Complete Lock (latch retraction EU x lever control EU), IDPS door contact, Illuminated Outside/Inside (Push to Open & Push to Lock), power transfer hinge, Surface mounted push buttons.	\$CALL
EME KIT ADD	Add on Emergency Annunciator Kit for UBPK	\$1130



# ELECTRIFIED EXIT TRIM



## FOR MODIFICATION AND COMPLETE TRIM

### PREFIX

MD - Modification

### MODEL + FUNCTION

Select a model number and add  
EL (Fail Safe) - Electronically Locked  
EU (Fail Secure) - Electronically Unlocked

### VOLTAGE

12 or 24 Volts must be specified  
Motorized = Universal Input 11-30V  
LE = Universal Input 11-30V

### OPTIONAL SWITCHES

REE-Request-to-Enter

## FOR COMPLETE TRIM ONLY

### TRIM

- Tubular  
 - Bent

- Straight  
 - Curved

### FINISH (BHMA std)

626 - Satin Chrome

SPECIAL ORDER

613 - Oil Rubbed Bronze 625 - Polished Chrome

### KEYWAY

Only ET15/25 have cylinder provided.  
Rim Cylinder - "C" Standard  
LC - Less Cylinder

### ACCESSORIES

CRU2 - Current Reduction Unit (AC & DC input)  
4 Lead - 4' Wire Lead to switches  
10 Lead - 10' Wire lead to switches  
QC - Molex Connectors  
BR5 - Bridge Rectifier w/ 5' lead

## EXAMPLES

### COMPLETE EXIT TRIM

	PREFIX	MODEL	FUNCTION	SUFFIX	VOLTAGE	FINISH	KEYWAY	OPTIONS	ACC	COMPLETE PART #
Part #		ET27-M EU/EL	EU/EL	-	12V-24V	626	C	REX		ET27-M-EU/EL L6 12/24 626 REX
List \$	-	\$1200	-	-	-	-	-	+\$165		\$1365






# ELECTRIFIED EXIT TRIM

## COMMAND ACCESS ET15/16 SERIES

Specify EU or EL & Handing.

PART #	COMPLETE LOCK List \$		628	313	C	Request to Enter (REE)
--------	--------------------------	---	-----	-----	---	------------------------



ET15/16 for: Command Access PD15 Jackson 1285/95 AHT 8000/9000

ET15RIM EU/EL	\$900	L6	✓	✓	✓	+\$165
ET15CVR EU/EL	\$900	L6	✓	✓	✓	+\$165
ET16 RIM	\$550	L6	✓	✓	✓	+\$165
ET16 CVR	\$550	L6	✓	✓	✓	+\$165

## COMMAND ACCESS ET25/26 SERIES

Command Access PD25/26, Cal Royal 7700 R/SVR, Marks M9000 & Von Duprin 98/99 R/V series

Specify EU or EL & Handing.



PART #	COMPLETE LOCK List \$			626	613	C	IC	Request to Enter (REE)
--------	--------------------------	---	---	-----	-----	---	----	------------------------

ET25/26 for: Von Duprin 98/99 Command Access PD25 Cal-Royal 77

ET25 EU/EL		L6	L17			✓		
ET25-LE EU/EL	\$1150	L6	L17		+\$52	✓	+\$105	✓
ET26 ELT		L6	L17			✓		
ET26 SLT		L6	L17			✓		
ET26 PLT		L6	L17			-		
ET26 DLT		L6	L17			-		-
ET26 NPT		-	-	✓		✓		-
ET26 DPT		-	-			-		-

## COMMAND ACCESS ET27/28 SERIES



Command Access PD27/28, Cal Royal 7700 R/SVR, Marks M9000 & Von Duprin 98/99 R/V series

PART #	COMPLETE LOCK List \$			626	613	*C	Request to Enter (REE)
--------	--------------------------	---	---	-----	-----	----	------------------------

ET27-M EU/EL	\$1250	L6	L17	✓	+\$52	✓	+\$165
ET28 ELT		L6	L17	✓		✓	
ET28 SLT		L6	L17	✓		✓	
ET28 PLT		L6	L17	✓		-	
ET28 DLT		L6	L17	✓		-	-
ET28 NPT		-	-	✓		✓	-
ET28 DPT		-	-	✓		-	-

## COMMAND ACCESS ET30 SERIES

Command Access PD29/30, series

PART #	COMPLETE LOCK List \$			626	613	*C
--------	--------------------------	---	---	-----	-----	----

ET30 ELT		L6	L17	✓		✓
ET30 SLT		L6	L17	✓		✓
ET30 PLT		L6	L17	✓		-
ET30 DLT		L6	L17	✓		-
ET30 NPT		-	-	✓		✓
ET30 DPT		-	-	✓		-

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



Specify EU or EL, Voltage and Handing.

✓ or \$ = Available  
- = Not Available




PART #	EXIT TRIM	COMPLETE LOCK List \$	MODIFICATION ONLY List \$ (add prefix MD)	06	17	626	LC	MAINTAIN KEY OVERRIDE	Request to Enter (REE)
CR22E U/EL	CAL ROYAL NESC 2200 R/SVR SERIES	-	-	-	-	-	-	✓	-
CR77 EU/EL	CAL ROYAL NESC 7700 R/SVR SERIES	-	-	-	-	-	-	✓	-
CR98E U/EL	CAL ROYAL NESC 9800 R/SVR SERIES	-	-	-	-	-	-	✓	-
FAL581EU/51EL	FALCON 510 SERIES	-	-	-	-	-	-	-	-
H45CE EU/EL	HAGER 45CE SERIES	-	-	-	-	-	-	✓	-
SGT700EU/EL	SARGENT 713 SERIES	-	-	-	-	-	-	✓	-
V23EU/EL	VON DUPRIN 230L SERIES	-	-	06	-	✓	✓	✓	-
V36EU/EL*	VON DUPRIN 360L/BE/T SERIES	-	-	-	-	-	-	-	-
V96EU/EL	VON DUPRIN 996L R/V & M SERIES	-	-	06	17	✓	✓	✓	-

\*NOTE: V36 DO NOT MAINTAIN KEY OVERRIDE- A DUMMY CYLINDER WILL BE ADDED TO ALL CYLINDER PREP TRIMS.

## ACCESSORIES & REPLACEMENTS FOR EXIT TRIM

VDREEKIT-ET	Field installable Request to Enter kit for the Von Duprin 996L Series	\$185
SGTREETKIT-ET	Field installable Request to Enter kit for the Sargent 713 Series	\$185
CRU	Current Reduction Unit	\$95
4' LEAD	Add 4' lead to any switch (per switch)	\$50
10' LEAD	Add 10' lead to any switch (per switch)	\$65
BR5	Bridge Rectifier w/ 5' Lea	\$65
QC/CON	8-pin or 12-pin Molex Connectors added to locking device retrofit Electro ynx or Allegion Connect	\$70
QC/CON w/ lead	8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit Electro ynx or Allegion Connect	\$105
QC/CON w/ Lead	8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to to QC prepped power transfer hinge	\$185
Door Cord QC/CON	3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge	\$130
SOL-ET	Exit Trim Lock Replacement Solenoids (Specify brand, EU or EL & Voltage) - Call Factory to confirm field wap is available	\$275

# ELECTRIFIED LATCH RETRACTION KITS



## HOW TO ORDER

	MODEL	MANUFACTURER	OPTIONS	COMPLETE PART #
Part #	MLRK1	VD	REX	MLRK1-VD-REX
List \$	\$1000	-	+\$165	\$1165
Part #	MLRK1	AR	=	MLRK1-AR
List \$	\$1025	-	-	\$1025

## MOTORIZED LATCH RETRACTION KITS

ALL 24V & Fail Secure (EU) ONLY  
Kits work on all style devices: RIM, SVR, CVR, & Mortise.



BUILT-IN  
REX

REXKIT  
AVAILABLE<sup>1</sup>

✓ or \$ = Available  
- = Not Available

PART #	EXIT DEVICE	LIST	BUILT-IN REX	REXKIT AVAILABLE <sup>1</sup>
MLRK1-AR	ADAMS RITE 82/84/86/88 SERIES	\$1025	+\$165	\$165
MLRK1-AREX	ADAMS RITE Ex SERIES	\$1025	+\$165	\$165
MLRK1-ARW	Arrow 1000 series	\$1025	-	\$165
MLRK1-CAL	CAL ROYAL 22 & 98 SERIES	\$1025	-	\$165
MLRK1-CAL77	Cal Royal 7700 series	\$1025	+\$165	\$165
MLRK1-COR	CORBIN RUSSWIN 4000/5000	\$1025	+\$165	\$165
MLRK1-MRK	Design Hardware 1000	\$1025	+\$165	\$165
MLRK1-DRX	DOREX 9500 SERIES	\$1025	-	\$165
MLRK1-DOR	DORMA 9000 SERIES	\$1025	-	\$165
MLRK1-FAL17	Falcon 16/17 & First Choice 36/37 Series	\$1025	✓	\$165
MLRK1-DTX	Detex Advantex & Value Series	\$1025	-	\$165

1. See page 21 for REXKIT's available & part #. Order REX Kit separately.

www.commandaccess.com | US Customer Support 888.622.2377

PART #	EXIT DEVICE	LIST	BUILT-IN	REXKIT
			REX	AVAILABLE <sup>1</sup>
MLRK1-FAL25	Falcon 24/25 series	\$1025	✓	\$165
MLRK1-HAG	Hager 4500/4600 series	\$1025	+\$165	\$165
MLRK1-JAC12	Jackson 1285/1295 SERIES	\$1025	+\$165	\$165
MLRK1-JAC12	Kawneer 1686/1786 SERIES	\$1025	+\$165	\$165
MLRK1-KAWP	Kawneer Paneline SERIES	\$1100	+\$165	\$165
MLRK1-MBS	Marshall Best Q1/2000 SERIES	\$1025	+\$165	\$165
MLRK1-MRK	Marks M9900 SERIES	\$1025	+\$165	\$165
MLRK1-MRK8	Marks M8800 SERIES	\$1025	+\$165	\$165
MLRK1-PDQ	PDQ 6200 SERIES	\$1025	+\$165	\$165
MLRK1-PDQ63	PDQ 63/6400 SERIES	\$1025	+\$165	\$165
MLRK1-PHI	PHILADELPHIA HARDWARE 9000 SERIES	\$1025	+\$165	\$165
MLRK1-SGT	Sargent 80 SERIES	\$1025	-	\$165
MLRK1-SQ	Stanley QED 100/200	\$1025	-	\$165
MLRK1-LSDA2	IDN LSDA 9200	\$1025	+\$165	\$165
MLRK1-TS1	Townsteel 1000 SERIES	\$1025	+\$165	\$165
MLRK1-TS2	Townsteel 9700 SERIES	\$1025	+\$165	\$165
MLRK1-VD22	Von Duprin 22 SERIES	\$1025	✓	\$165
MLRK1-VD	Von Duprin 33/35 & 98/99 SERIES	\$1000	✓	\$165
MLRK1-VDAX	Von Duprin 33/35 & 98/99 AX SERIES	\$1025	✓	\$165
MLRK1-COR	YALE 7000 SERIES	\$1025	+\$165	\$165
MLRK1-YAL6	YALE 6000 SERIES	\$1025	+\$165	\$165

✓ or \$ = Available  
- = Not Available

1. See page 21 for REXKIT's available & part #. Order REX Kit separately.

## SOLENOID LATCH RETRACTION KITS


PART #	EXIT DEVICE	LIST	REXKIT
			AVAILABLE
ARLP88-KIT	Adams Rite 8800 series	\$445	\$165




# ELECTRIFIED EXIT DEVICES



PD10




PD15



PD18



PD25



PD27



## FOR MODIFICATION AND COMPLETE DEVICE

### PREFIX

MD - Modification

### MODEL + FUNCTION

Select a model number and add EU (Fail Secure)  
- Electronically Unlocked only

### VOLTAGE

24 Volts

12 Volts - Adams Rite 88 & PD18-RIM ONLY

### OPTIONAL SWITCHES

REX - Request-to-Exit  
LBM - Latchbolt Monitor

## FOR COMPLETE DEVICE ONLY

### SIZE (Width of device)

36 - 36" wide device

42 - 42" wide device

48 - 48" wide device

### FINISH

#### ARCHITECTURAL

626 - Satin Chrome

613 - Oil Rubbed Bronze

#### STOREFRONT

628 - Aluminum

313 - Duronatic

### ACCESSORIES

3' Lead - 3' Wire Lead w/ connector(s)

4' Lead - 4' Wire Lead w/ connector(s)

QC - Molex Connectors

## EXAMPLE

### COMPLETE MOTOR DRIVEN DEVICE

	PREFIX	MODEL	SUFFIX	FUNCTION	VOLTAGE	SIZE	FINISH	OPTIONS	COMPLETE PART #
Part #	-	PD10	M	EU	24V	36	ALU	REX	PD10-M-RIM-36-ALU REX
List \$	-	\$1865	-	-	-	-	-	+\$165	\$2030

## PD10 / PD11

### STOREFRONT COMPLETE DEVICES

PD10 / PD11 Series retrofits Doromatic 1600/1700 & First Choice 3600/3700.

✓ or \$ = Available  
- = Not Available

PART #	FUNCTION	LIST \$	36"	*42"	48"	ALUM	DURO	REX	LBM	EXT RODS
PD10-M-RIM	Motorized Latch Retraction (EU)	\$1865	✓	+\$120	+\$60	✓	+\$55	+\$165	+\$165	+\$120
PD10-M-CVR	Motorized Latch Retraction (EU)	\$1915	✓	+\$120	+\$60	✓	+\$55	+\$165	-	+\$120
PD11-RIM	Mechanical RIM Device	\$840	✓	+\$120	+\$60	✓	+\$55	+\$165	+\$165	+\$120
PD11-CVR	Mechanical CVR Device	\$890	✓	+\$120	+\$60	✓	+\$55	+\$165	-	+\$120

\*48" Device mechanics can be relocated at factory for 42" or speciality size for field cut down.

## PD15 / PD16

COMPLETE DEVICE - PD15 / PD16 retrofits Jackson 1200 & AHT 8000/9000. Please Specify Handing for CVR.

PART #	FUNCTION	LIST \$	36"	42"*	48"	ALUM	DURO	REX	LBM	EXT RODS
PD15-M-RIM	Motorized Latch Retraction (EU)	\$1815	✓	-	+\$55	✓	+\$55	+\$165	-	+\$120
PD15-M-CVR	Motorized Latch Retraction (EU)	\$1850	✓	-	+\$55	✓	+\$55	+\$165	-	+\$120
PD16-RIM	Mechanical RIM Device	\$790	✓	-	+\$55	✓	+\$55	+\$165	-	+\$120
PD16-CVR	Mechanical CVR Device	\$825	✓	-	+\$55	✓	+\$55	+\$165	-	+\$120

\*48" Device mechanics can be cut down to 42" in the field

## PD18 / PD19

COMPLETE DEVICE - PD18 / PD19 retrofits Adams Rite 8800 & 8600 series.

PART #	FUNCTION	LIST \$	36"	42"	48"	ALUM	DURO	REX	LBM	EXT RODS
PD18-RIM*	Solenoid Latch Retraction (EU)	Call	✓	-		✓			-	-
PD18-CVR	Solenoid Latch Retraction (EU)	Call	✓	-		✓			-	-
PD18-M-RIM	Motorized Latch Retraction (EU)	\$1865	✓	-	+\$55	✓	+\$55	+\$165		
PD18-M-CVR	Motorized Latch Retraction (EU)	\$1915	✓	-	+\$55	✓	+\$55	+\$165		
PD19-RIM	Mechanical RIM Device	\$840	✓	-	+\$55	✓	+\$55	+\$165	-	-
PD19-CVR	Mechanical CVR Device	\$890	✓	-	+\$55	✓	+\$55	+\$165	-	-





# ELECTRIFIED EXIT DEVICES

## PD27/28 COMPLETE DEVICE ARCHITECTURAL - Wide Stile

PART #	FUNCTION	LIST \$	36"	42"	48"	626	613	FIRE RATED	REX	LBM	EXT RODS
PD27-M-RIM	Motorized Latch Retraction (EU)	\$2720	✓	-	+\$70	✓	+\$130	+\$175	+\$165	+\$165	-
PD27-M-SVR	Motorized Latch Retraction (EU)	\$3390	✓	-	+\$70	✓	+\$130	+\$175	+\$165	-	+\$165
PD28-RIM	Mechanical RIM Device	\$1695	✓	-	+\$70	✓	+\$130	+\$175	+\$165	+\$165	-
PD28-SVR	Mechanical SVR Device	\$2365	✓	-	+\$70	✓	+\$130	+\$175	+\$165	-	+\$165

## PD29/30 COMPLETE DEVICE ARCHITECTURAL - Narrow Stile

PD29-M-RIM	Motorized Latch Retraction (EU)	\$2740	✓	-	+\$70	✓	+\$130	+\$175	+\$165	+\$165	-
PD29-M-SVR	Motorized Latch Retraction (EU)	\$3560	✓	-	+\$70	✓	+\$130	+\$175	+\$165	-	+\$165
PD30-RIM	Mechanical RIM Device	\$1715	✓	-	+\$70	✓	+\$130	+\$175	+\$165	+\$165	-
PD30-SVR	Mechanical SVR Device	\$2535	✓	-	+\$70	✓	+\$130	+\$175	+\$165	-	+\$165

## Delayed Egress (DE) Options for PD27/PD29

### PD27/28 COMPLETE DEVICE ARCHITECTURAL - Wide Stile

PART #	FUNCTION	LIST \$	36"	42"	48"	626	622	613	FIRE RATED	REX	LBM	EXT RODS
PD27-DE-RIM	Electrified Exit Device	\$3595	✓	-	+\$70	✓	+\$130	+\$130	+\$175	+\$165	+\$165	-
PD27-DE-SVR	Electrified Exit Devic	\$4275	✓	-	+\$70	✓	+\$130	+\$130	+\$175	+\$165	-	+\$165

## Alarm Kit (ALK) Options for PD27/PD29

### PD27/28 COMPLETE DEVICE ARCHITECTURAL - Wide Stile

PART #	FUNCTION	LIST \$	36"	42"	48"	626	622	613	FIRE RATED	REX	LBM	EXT RODS
PD27-ALK-RIM	Electrified Exit Device	\$2575	✓	-	+\$70	✓	+\$130	+\$130	+\$175	+\$165	+\$165	-
PD27-ALK-SVR	Electrified Exit Devic	\$3250	✓	-	+\$70	✓	+\$130	+\$130	+\$175	+\$165	-	+\$165

\*Available in 12V or 24V. Please specify when ordering

## ACCESSORIES & REPLACEMENT FOR EXIT DEVICES


PART #	FUNCTION	LIST \$
8' Lead	8' Power Lead for Exit Devices	\$80
10' LEAD	Add 10' lead to any switch (per switch)	\$85
QC/CON	8-pin or 12-pin Molex Connectors added to locking device retrofit Electro Lynx or Allegion Connect	\$70
QC/CON w/ lead	8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit Electro Lynx or Allegion Connect	\$105
QC/CON w/ Lead	8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to QC prepped power transfer hinge	\$185
Door Cord QC/CON	3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge	\$130
50944	Motor Molex Power Lead 12" - Plugs directly into our MM modules	\$75
SOL-LP1	Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coi	Call
SOL-LP2	Replacement Solenoid Assembly for Electrified Latch Retraction - Dual Coi	Call
SOL-LP3	Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coil (12EU ARLP88)	Call
SOL-LP4	Replacement Solenoid Assembly for Electrified Latch Retraction - Two-Solenoid Assembly	Call
SOL-LP5	Replacement Solenoid Assembly for Electrified Latch Retraction - Single Coil (24EU ARLP88)	Call

NOTES\* See website for specific applications. ElectroLynx® is a registered trademark of Assa Abloy

ElectroLynx® is a registered trademark of Assa Abloy

Micro-Fit 3.0™ Interconnect System available to retrofit common quick connection systems such as ElectroLynx® or Allegion Connect®.

Allegion Connect® is a registered trademark of Allegion



## EXIT DEVICE SWITCH OPTIONS

PART #	FUNCTION	
REX	Add Request to Exit Switch to device	\$165
LBM	Add Latchbolt Monitor Switch to device	\$165
REX2	Add Double Request to Exit Switch to device	\$330

\* Call Factory for specific device availability


## SWITCH FIELD KITS FOR EXIT DEVICES



		Switch Kit List \$	Mechanical Device	Solenoid Device	Motorized Device
<b>ARREXKIT-ED</b>	Field Installable Request to Exit Kit for Adams Rite 8000 Series	<b>\$165</b>	✓	✓	-
<b>ARREXKIT2-ED</b>	Field Installable Double Request to Exit Kit for Adams Rite 8000 Series	<b>\$330</b>	✓	✓	-
<b>ARREXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Adams Rite Series	<b>\$165</b>	-	-	✓
<b>CRSREXKIT-ED</b>	Field Installable Request to Exit Kit for Cal Royal 22/98 & Sargent 80 Series	<b>\$165</b>	✓	-	✓
<b>CYREXKIT-ED</b>	Field Installable Request to Exit Kit for Corbin 4/5000 & Yale 7000 Series	<b>\$165</b>	✓	-	-
<b>CYREXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Corbin & Yale Series	<b>\$165</b>	-	-	✓
<b>ED1REXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Philadelphia & Tell Series	<b>\$165</b>	-	-	✓
<b>ED2REXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Series LSDA9200, USCAN2100, & Townsteel 1000 Series	<b>\$165</b>	-	-	✓
<b>DORREXKIT-ED</b>	Field Installable Request to Exit Kit for Dorma 9000 series	<b>\$165</b>	✓	✓	✓
<b>MRKREXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1-MRK Marks M9900/8800 & Design Hardware Series-	<b>\$165</b>	-	-	✓
<b>LLPREXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1-Hager, LSDA9000, Lawrence, PDQ Series	<b>\$165</b>	-	-	✓
<b>PD10REXKIT-ED</b>	Field Installable Request to Exit Kit for Falcon 16/17 & First Choice 36/37 Series	<b>\$165</b>	✓	✓	✓
<b>PD15REXKIT-ED</b>	Field Installable Request to Exit Kit for Jackson 1285/95 & Kawneer 16/17 Series	<b>\$165</b>	✓	-	-
<b>PD15REXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Jackson & Kawneer Series -	<b>\$165</b>	-	-	✓
<b>PD25REXKIT-ED</b>	Field Installable Request to Exit Kit for PD25/26 & Cal Royal 7700 Series	<b>\$165</b>	✓	-	✓
<b>PREREXKIT-ED</b>	Field Installable Request to Exit Kit for Precision 2000 Series	<b>\$165</b>	✓	✓	-
<b>VDREXKIT-ED</b>	Field Installable Request to Exit Kit for Von Duprin 99/98 & 35/33 Series	<b>\$165</b>	✓	✓	✓
<b>VDREXKIT-LC-ED</b>	Field Installable Low Energy Request to Exit Kit for Von Duprin 99/98 & 35/33 Series	<b>\$170</b>	✓	✓	✓
<b>VDREXKIT2-ED</b>	Field Installable Double Request to Exit Kit for Von Duprin 99/98 & 35/33 Series	<b>\$330</b>	✓	✓	✓
<b>VDLBMKIT-ED</b>	Field Installable Latchbolt Monitor Kit for Von Duprin 99/98 & 35/33 Series	<b>\$165</b>	✓	✓	✓
<b>YAL6REXKIT-ED</b>	Field Installable Request to Exit Kit for Yale 6000 Series	<b>\$165</b>	✓	-	-
<b>YAL6REXKIT-M-ED</b>	Field Installable Request to Exit Kit for MRLK1 Yale 6000 Series- MRLK1-YAL6 Series	<b>\$165</b>	-	-	✓



# POWER SUPPLIES



## UL294 6<sup>TH</sup> EDITION LISTING



PS210  
PS220/220B  
PS440B  
PS480B

PS204/204B

## POWER SUPPLIES FOR ALL LATCH PULLBACK/EXIT DEVICES

<b>PS210</b>	1.5A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (1) solid state input/output	<b>\$540</b>
<b>PS220</b>	2A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (2) solid state inputs/outputs and a fire alarm link. (1) 24VDC Power Tap	<b>\$635</b>
<b>PS220B</b>	2A, 24V regulated PS w/boost circuitry for up to (2) electric latch pullback devices. Includes (2) solid state inputs/outputs, battery charging circuit, and a fire alarm link. (1) 24VDC Power Tap. Battery Back-up	<b>\$760</b>
<b>PS440B</b>	4A, 24V regulated PS w/boost circuitry is capable of powering up to (4) electric latch pullback devices. Includes (4) solid state inputs/outputs, battery charging circuit, and a fire alarm link. Battery Back-up	<b>\$845</b>
<b>PS480B</b>	4A, 24V regulated PS w/boost circuitry for up to (8) electric latch pullback devices. Includes (8) solid state inputs/outputs, battery charging circuit, and a fire alarm link. Battery Back-up	<b>\$915</b>

## POWER SUPPLIES FOR MOTORIZED LATCH RETRACTION, MORTISE/CYLINDRICAL LOCK, & EXIT TRIM

<b>PS204</b>	2A, 24V regulated PS w/boost circuitry for up to (4) MOTORIZED electric latch pullback devices. Includes (4) solid state inputs/outputs, and a fire alarm link	<b>\$605</b>
<b>PS204B</b>	2A, 24V regulated PS w/boost circuitry for up to (4) MOTORIZED electric latch pullback devices. Includes (4) solid state inputs/outputs, and a fire alarm link. Battery Back-up	<b>\$680</b>

## POWER SUPPLIES & AUXILIARY BOARDS

<b>PS-OP-2</b>	Replacement Relay Board for PS202/202B/220/220B (Specify Series)	<b>Call</b>
<b>PS-OP-4</b>	Replacement Relay Board for PS204/204B/440B (Specify Series)	<b>Call</b>
<b>PS-OP-8</b>	Replacement Relay Board for PS480B	<b>Call</b>
<b>SW3</b>	2.4A 27VDC regulated power supply w/ (3) non-fused outputs for electric strikes, mortise locks and cylindrical locks. <b>**NOT UL**</b>	<b>Call</b>
<b>BB12V7</b>	Set of (2) 12VDC 7AH Batteries for Power Supplies with Battery Back-Up	<b>Call</b>
<b>CAMLCK-PS</b>	Cam Lock For Command Power Supplies	<b>Call</b>



## LOCKING HARDWARE AUTO-OPERATOR

Heavy Duty Auto-Operator - On-Board door sequencing, Push To Learn, & locking hardware power tap.

<b>CATHD0100-PUSH</b>	Command Heavy Duty Locking Hardware Auto-Operator 39" -Alum/Duro/Black - Push Arm - Handing Reversible	<b>Call</b>
<b>CATHD0100-PULL</b>	Command Heavy Duty Locking Hardware Auto-Operator 39" -Alum/Duro/Black - Pull Arm - Handing Reversible	<b>Call</b>

\*For Double Doors with single header, double single unit price.

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtex, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.



# MODULES & ACCESSORIES

## POWER SUPPLY ACCESSORIES

<b>DS1+</b>	Door Sequencer	<b>\$320</b>
<b>DS1-X</b>	Door Sequencer	<b>\$345</b>
<b>VD2-873</b>	Replacement Relay Board for Von Duprin PS873 (871-2 board)	<b>\$340</b>
<b>VD2-914</b>	Replacement Relay Board for Von Duprin PS914 (2RS board)	<b>\$340</b>

## POWER ACCESSORIES

<b>CAT FT</b>	COMPLETE FIELD TESTER, specify battery (DeWalt, Makita, Milwaukee)	<b>\$430</b>
<b>PM300</b>	Power Module for Solenoids powered by DC Power sources	<b>\$360</b>
<b>PM300-D</b>	Power Module for Solenoids powered by DC Power sources w/ built-in .5 second delay	<b>\$360</b>
<b>PM300-AC</b>	Power Module for Solenoids powered by AC Power sources	<b>\$360</b>
<b>PM300-ACD</b>	Power Module for Solenoids powered by AC Power sources w/ built-in .5 second delay	<b>\$360</b>
<b>CRU</b>	Current Reduction Unit for solenoid powered Mortise & Cylindrical locks, Strikes & Exit Trim	<b>\$95</b>
<b>POD Module</b>	Power ON Delay Module - In-Line module allows for .5-5 second delay in activation	<b>\$135</b>
<b>VC3024</b>	Voltage Converter 30VDC to 24VDC	<b>\$105</b>
<b>VC2412</b>	Voltage Converter 24VDC to 12VDC	<b>\$105</b>

## SWITCH ACCESSORIES

<b>CAT-AIR-REX</b>	Active Infrared Request to Exit	<b>\$415</b>
<b>IDPS1</b>	Independent DPS switch installs in frame & alum (wood, hollow metal, & FRP)	<b>\$60</b>
<b>IDPS2</b>	Independent High Security DPS switch installs in frame & alum (wood, hollow metal, & FRP)	<b>\$75</b>
<b>IDPSSC-1</b>	Vandal Resistance Independent Concealed Magnetic Contact switch DPS switch installs in frame & alum (wood, hollow metal, & FRP)	<b>\$160</b>
<b>CAT-IVES-DP2</b>	IVES Dust Proof Strike w/ Internal DPS	<b>\$260</b>



# MODULES & ACCESSORIES


## ACUATORS & MORE ACCESSORIES

<b>TA120</b>	Touchless Actuator - Wave to Open Logo - Surface Mount	<b>\$380</b>
<b>TA121</b>	Touchless Actuator - Wave to Lock Logo - Surface Mount	<b>\$380</b>
<b>TA122</b>	Touchless Actuator - Wave to Open + Handicap Logo - Surface Mount	<b>\$380</b>
<b>IA120</b>	Illuminated Actuator - Push to Open - Handicap	
<b>IA121</b>	Illuminated Actuator - Push to Lock - Surface Mount	
<b>IA122</b>	Illuminated Actuator - Push to Open - Surface Mount	
<b>2WRB</b>	2 Wire Retrofit Board - allows 4 wire touchless actuator to use 2 existing wires	<b>\$375</b>
<b>RB1</b>	Remote Buzzer Single Gang	<b>\$130</b>
<b>RB1-NS</b>	Remote Buzzer Narrow Stile	<b>\$130</b>
<b>DTC MOMA2</b>	Remote 2 Door Desktop Console	<b>\$1020</b>
<b>DTC MOMA4</b>	Remote 4 Door Desktop Console	<b>\$1395</b>
<b>DTC MOMA8</b>	Remote 8 Door Desktop Console	<b>\$3100</b>





# POWER TRANSFER HINGES



## ELEMENTS OF A PART NUMBER



TYPE
<b>ETH</b> - Energy Transfer Hinge
<b>ETM</b> - Energy Transfer Monitor Hinge

WIRES
M - Monitor Only
2W - (2/20ga)
4W - (4/26ga)
6W - (6/26ga)
8W - (8/28ga)
10W - (10/28ga)
12W - (12/28ga)
2WH* - (2/18ga)
4WH* - (2/18ga+2/26ga)
6WH* - (2/18ga+4/28ga)
8WH* - (2/20ga+6/28ga)
10WH* - (2/20ga+8/28ga)
12WH* - (2/20ga+10/28ga)

\*NOT AVAILABLE ON ALL HINGES SIZES .

SIZE / HANDING
4.0 x 4.0 (SQ or RC)
4.5 x 4.0 (SQ or RC)
4.5 x 4.5
5.0 x 4.0
5.0 x 4.5
5.0 x 5.0
4.5 x 6.0 (WT)
5.0 x 6.0 (WT)
LH - Left Hand
RH - Right Hand

OPTIONS
<b>QC</b> - Molex Connectors <b>HT</b> - Hospital Tip (SS/Brass Only)
4' Leads - <b>ALWAYS SUPPLIED AT NO CHARGE</b>

FINISH (Steel Base Metal)
600/P - Prime Coat
605-632/3 - Bright Brass
606-633/4 - Satin Brass
609-638/5 - Satin Brass Antique
611-637/9 - Bright Bronze
612-639/10 - Satin Bronze
641/10A - Antique Bronze Laq.
613-640/10B - Anti. Bronze Oil
619-646/15 - Satin Nickel
625-651/26 - Bright Chrome
626-652/26D - Satin Chrome
693/L1 - Black
FINISH (Brass Base Metal)
600/P - Prime Coat
605/3 - Bright Brass
606/4 - Satin Brass
609/5 - Satin Brass Antique
611/9 - Bright Bronze
612/10 - Satin Bronze
613/10B - Antique Bronze Oil
619/15 - Satin Nickel
625/26 - Bright Chrome
626/26D - Satin Chrome
693/L1 - Black
FINISH (Stainless Steel Base Metal)
629 - Polished Stainless
630 - Brushed Stainless

STYLE
<b>3SW</b> - 3 Knuckle Standard Weight
<b>3HW</b> - 3 Knuckle Heavy Weight
<b>5SW</b> - 5 Knuckle Standard Weight
<b>5HW</b> - 5 Knuckle Heavy Weight
<b>CATPIVOT</b> - 3/4" Offset Pivot
<b>5SWSC</b> - CAT Swingclear Standard weight (specify straight or bevelled)
3/4" - offset pivot (top/intermediate)
1-1/2" - offset pivot (top/intermediate)
TP - Top pivot (center hung)
<b>PP</b> - Pocket pivot (center hung)
<b>SC</b> - Swing Clear Hinge
<b>RB</b> - Raised Barrel

## EXTRA HINGES FOR MODIFICATION

Due to the nature of the modification process, please send 1 extra hinge for every 8 to be modified. We will return any hinges not need back with your order.  
For Example: 1-8 hinges, 1 extra | 9-16 hinges, 2 extra .

## EXAMPLES

### MODIFICATION ONLY - BUTT HINGE

	TYPE	WIRES	SIZE	BASE	STYLE	HANDING	OPTIONS	COMPLETE PART #
Part #	ETM	4W	4540	Steel	3CB1	-	QC	ETM4WMOD-3CB1 QC
List \$	-	CALL	-	-	-	-	-	CALL

### COMPLETE ENERGY TRANSFER HINGE

	TYPE	WIRES	SIZE	FINISH	STYLE	HANDING	OPTIONS	COMPLETE PART #
Part #	ETH	8W	4545	626	BB79	-	4' Lead	ETH8W4545-626 BB79
List \$	-	\$240	-	-	-	-	N/C	\$240

### COMPLETE ENERGY TRANSFER PIVOT

	TYPE	WIRES	SIZE	FINISH	STYLE	HANDING	OPTIONS	COMPLETE PART #
Part #	ETH	420W	-	626	CATPIVOT	RH	4' Lead	ETH420W-626-CATPIVOT RH
List \$	-	CALL	-	-	-	-	N/C	CALL


Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtek, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.

# HOW TO ORDER


ALWAYS HERE TO HELP

## HOW TO MEASURE A HINGE REFERENCE

exAMple: 4.5 (height) x 4.0 (width)



## TYPES OF HINGES



## HINGE CROSS REFERENCE SHEET

	COMMAND ACCESS	HAGER	STANLEY	MCKINNEY	PBB	IVES	CAL ROYAL	BOMMER
5 KNUCKLE - SW STEEL BASE	BB79	BB1279	FBB179 CB179	TA2714	BB81	5BB1	BB31	BB5000
5 KNUCKLE - SW BRASS BASE	BB91	BB1191	FB191 CB191	TA2314	BB21	5BB1	SBB31	BB5001
5 KNUCKLE - SW STAINLESS STEEL BASE	BB91	BB1191	FBB191 CB191	TA2314	BB51	5BB1	BB31-630	BB5002
5 KNUCKLE - HW STEEL BASE	BB68	BB1168	FBB168 CB168	T4A3786	4B81	5BB1HW	BB5200	BB5004
5 KNUCKLE - HW BRASS BASE	BB99	BB1199	FB199 CB199	T4A3385	4B81	5BB1HW	N/A	BB5005
5 KNUCKLE - HW STAINLESS STEEL BASE	BB99	BB1199	FBB199 CB199	T4A3385	4B21	5BB1HW	BB5200-630	BB5006
3 KNUCKLE - SW STEEL BASE	CB70	AB700	CB1900R	TA714	CB81	3CB1	BB200	LB8000
3 KNUCKLE - SW BRASS BASE	CB80	AB800	CB1960R	TA314	CB21	3CB1	N/A	LB8001
3 KNUCKLE - SW STAINLESS STEEL BASE	CB80	AB800	CB1960R	TA314	CB51	3CB1	BB2200-630	LB8002
3 KNUCKLE - HW STEEL BASE	CB75	AB750	CB1901R	TA786	4C81	3CB1HW	BB3300	LB8004
3 KNUCKLE - HW BRASS BASE	CB85	AB850	CB1961R	TA386	4C21	3CB1HW	N/A	LB8005
3 KNUCKLE - HW STAINLESS STEEL BASE	CB85	AB850	CB1961R	TA386	4C51	3CB1HW	BB3300-630	LB8006

## 5 KNUCKLE STANDARD TRANSFER HINGES - ETH

ALWAYS HERE TO HELP

STEEL BASE (BB79)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.0 x 4.0	\$188	\$188	\$240	\$240	\$292	\$292	-	-	-	-	-	-
4.5 x 4.0	\$188	\$188	\$240	\$240	\$292	\$292	\$312	\$312	\$328	\$328	CALL	CALL
4.5 x 4.5	\$188	\$188	\$240	\$240	\$292	\$292	\$312	\$312	\$328	\$328	CALL	CALL
5.0 x 4.5	\$250	\$250	\$312	\$312	\$348	\$348	\$342	\$342	\$385	\$385	CALL	CALL
5.0 x 5.0	\$286	\$286	\$354	\$354	\$390	\$390	\$385	\$385	\$390	\$390	CALL	CALL
BRASS BASE (BB91)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.0 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	-	-	-	-	-	-
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (BB91)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.0 x 4.0	\$280	\$280	\$322	\$322	\$395	\$395	-	-	-	-	-	-
4.5 x 4.0	\$280	\$280	\$322	\$322	\$395	\$395	\$368	\$368	\$422	\$422	CALL	CALL
4.5 x 4.5	\$280	\$280	\$322	\$322	\$395	\$395	\$368	\$368	\$422	\$422	CALL	CALL
5.0 x 4.5	\$322	\$322	\$380	\$380	\$448	\$448	\$410	\$410	\$445	\$445	CALL	CALL
5.0 x 5.0	\$348	\$348	\$410	\$410	\$468	\$468	\$422	\$422	\$475	\$475	CALL	CALL

## 5 KNUCKLE HEAVY TRANSFER HINGES - ETH

STEEL BASE (BB68)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	\$250	\$250	\$292	\$292	\$342	\$342	\$354	\$354	\$385	\$385	CALL	CALL
4.5 x 4.5	\$250	\$250	\$292	\$292	\$342	\$342	\$354	\$354	\$385	\$385	CALL	CALL
5.0 x 4.5	\$318	\$318	\$368	\$368	\$416	\$416	\$416	\$416	\$436	\$436	CALL	CALL
5.0 x 5.0	\$328	\$328	\$390	\$390	\$436	\$436	\$426	\$426	\$458	\$458	CALL	CALL
BRASS BASE (BB99)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (BB99)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	\$348	\$348	\$390	\$390	\$416	\$416	\$436	\$436	\$478	\$478	CALL	CALL
4.5 x 4.5	\$348	\$348	\$390	\$390	\$416	\$416	\$436	\$436	\$478	\$478	CALL	CALL
5.0 x 4.5	\$368	\$368	\$426	\$426	\$468	\$468	\$488	\$488	\$510	\$510	CALL	CALL
5.0 x 5.0	\$390	\$390	\$448	\$448	\$500	\$500	\$500	\$500	\$530	\$530	CALL	CALL

## 5 KNUCKLE ENERGY TRANSFER HINGES- ETH

MODIFICATION ONLY	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
5 KNUCKLE - SW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - SW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - HW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - HW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL



ALWAYS HERE TO HELP

**3 KNUCKLE STANDARD TRANSFER HINGES - ETH**

STEEL BASE (CB70)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
BRASS BASE (CB80)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (CB80)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

**3 KNUCKLE HEAVY TRANSFER HINGES - ETH**

STEEL BASE (CB75)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
BRASS BASE (CB85)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (CB85)	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

**3 KNUCKLE ENERGY TRANSFER HINGES- ETH**

MODIFICATION ONLY	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
3 KNUCKLE - SW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - SW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - HW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - HW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

## 5 KNUCKLE STANDARD TRANSFER HINGES - ETM

STEEL BASE (BB79)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
BRASS BASE (BB91)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (BB91)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

## 5 KNUCKLE HEAVY TRANSFER HINGES - ETM

STEEL BASE (BB68)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
BRASS BASE (BB99)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (BB99)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

## 5 KNUCKLE ENERGY TRANSFER HINGES- ETM

MODIFICATION ONLY	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
5 KNUCKLE - SW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - SW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - HW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5 KNUCKLE - HW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

### 3 KNUCKLE STANDARD TRANSFER HINGES - ETM

STEEL BASE (CB70)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
BRASS BASE (CB80)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (CB80)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

### 3 KNUCKLE HEAVY TRANSFER HINGES - ETM

STEEL BASE (CB75)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	-	-
BRASS BASE (CB85)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
STAINLESS STEEL BASE (CB85)	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
4.5 x 4.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
4.5 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 4.5	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5.0 x 5.0	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

### 3 KNUCKLE ENERGY TRANSFER HINGES- ETM

MODIFICATION ONLY	M	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
3 KNUCKLE - SW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - SW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - HW STEEL OR BRASS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3 KNUCKLE - HW STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL



## coMMAnd AcceSS

### ENERGY TRANSFER SWINGCLEAR

WIRE MORTISE/CYLINDRICAL LOCK, & EXIT TRIM					WIRE HEAVY LATCH RETRACTION			
ETH2W (2/20GA)	ETH4W (4/26GA)	ETH6W (6/26GA)	ETH8W (8/28GA)	ETH10W (10/28GA)	ETH2WH (2/18GA)	ETH4WH (2/18GA + 2/26GA)	ETH6WH (2/18GA + 4/28GA)	ETH8WH (2/20GA + 6/28GA)

Specify Bevelled or Square. 626 Finish. Consult factory for other finishes.

5SW STEEL BASED SC	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
5HW STEEL BASED SC	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

### ENERGY TRANSFER SPECIALTY- MOD

HINGE TYPE	2W	4W	6W	8W	10W	2WH	4WH	6WH	8WH
SWINGCLEAR - SW STEEL HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
SWINGCLEAR - HW STEEL HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
SWINGCLEAR - SW SS HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
SWINGCLEAR - HW SS HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
RAISED BARREL - SW STEEL HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
RAISED BARREL - HW STEEL HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
RAISED BARREL - SW SS HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
RAISED BARREL - HW SS HINGE	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
HALF OR FULL SURFACE - SW STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
HALF OR FULL SURFACE - HW STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
HALF OR FULL SURFACE - SW SS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
HALF OR FULL SURFACE - HW SS	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

**NOTE:** Wire access hole location on all hinges, regardless of hinge manufacturer, are located per Command Access Templates unless otherwise requested. Our standard templates are available on our website at [www.commandaccess.com](http://www.commandaccess.com).

## coMMAnd AcceSS

### ENERGY TRANSFER PIVOTS

Specify Handing, Finishes available in 613, 625, 626.

HINGE TYPE	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
INTERMEDIATE PIVOT - CAT PIVOT	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

### ENERGY TRANSFER PIVOTS - MOD

HINGE TYPE	2W	4W	6W	8W	10W	12W	2WH	4WH	6WH	8WH	10WH	12WH
3/4" OFFSET BRASS OR ALUMINUM	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
3/4" OFFSET STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
1-1/2" OFFSET BRASS OR ALUMINUM	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
1-1/2" OFFSET STAINLESS STEEL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL
TOP, POCKET, OR CENTER HUNG PIVOT	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL	CALL

## CONCEALED EPT

CAT EPT ALUM	Concealed Power Transfer ALUM specify (2 Wire or 10 Wire), same prep as Von Duprin EPT	\$785
CAT EPT DURO	Concealed Power Transfer DURO specify (2 Wire or 10 Wire), same prep as Von Duprin EPT	\$785

# CONCEALED DOOR LOOPS

<b>CDL-AL</b>	Aluminum Finish, 6" total length.	<b>\$80</b>
<b>CDL-BLK</b>	Black Finish, 6" total length.	<b>\$80</b>
<b>CDL-AL-FX</b>	Aluminum Finish, 6" total length. Includes 1 side fixed for complete concealment in opposite side.	<b>\$80</b>
<b>CDL-BLK-FX</b>	Black Finish, 6" total length. Includes 1 side fixed for complete concealment in opposite side.	<b>\$80</b>

## FOR 3/4" OFFSET PIVOT APPLICATIONS

<b>CDL-AL-EXT</b>	Aluminum Finish, 12" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance	<b>\$85</b>
<b>CDL-BLK-EXT</b>	Black Finish, 12" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance	<b>\$85</b>
<b>CDL-AL-EXT2</b>	Aluminum Finish, 18" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance	<b>CALL</b>
<b>CDL-BLK-EXT2</b>	Black Finish, 18" total length. Includes 1 side fixed for complete concealment in opposite side & extended length for wire guidance	<b>CALL</b>

# DOOR LOOPS

<b>DL-20A</b>	20" Door Loop, Aluminum Finish (Can be cut in the field to length)	<b>\$95</b>
<b>DL-20D</b>	20" Door Loop, Aluminum Finish (Can be cut in the field to length)	<b>\$95</b>
<b>NDL-18A</b>	Narrow 18" Door Loop, Aluminum Finish (Can be cut in the field to length)	<b>\$90</b>
<b>NDL-18D</b>	Narrow 18" Door Loop, Aluminum Finish (Can be cut in the field to length)	<b>\$90</b>

## ADDITIONAL OPTIONS FOR POWER TRANSFER

<b>DOOR 4' LEAD</b>	Standard 4' Lead on Door Side - Included Standard with every hinge	<b>n/c</b>
<b>FRAME 4' LEAD</b>	Add 4' Lead on Frame Side	<b>CALL</b>
<b>WT</b>	Additional charge to supply a wide throw hinge	<b>CALL</b>
<b>QC/CON</b>	8-pin or 12-pin Molex Connectors added to locking device retrofit Electro ynx or Allegion Connect	<b>\$70</b>
<b>QC/CON w/ lead</b>	8-pin or 12-pin Molex Connectors w/3-5' lead added to locking device retrofit Electro ynx or Allegion Connect	<b>\$105</b>
<b>QC/CON w/ Lead</b>	8/12-pin Molex Connectors w/ 10-20' lead added to connect a power supply directly to a QC/CON prepped power transfer hinge	<b>\$185</b>
<b>Door Cord QC/CON</b>	3-5' Door Cord to connect a QC prepped locking device to the power transfer hinge	<b>\$130</b>
<b>HT</b>	Add Hospital Tip to Hinge (SS/Brass Only)	<b>\$150</b>
<b>CAT HINGE REWIRE</b>	Rewire Command Access Hinge	<b>CALL</b>
<b>OTHER HINGE REWIRE</b>	Rewire another manufacturers hinge	<b>CALL</b>

ALLEGION CONNECT® IS A REGISTERED TRADEMARK OF ALLEGION & ELECTROLYNX® IS A REGISTERED TRADEMARK OF ASSA ABLOY  
MICRO-FIT 3.0™ INTERCONNECT SYSTEM AVAILABLE TO RETROFIT COMMON QUICK CONNECTION  
SYSTEMS SUCH AS ELECTROLYNX® OR ALLEGION CONNECT®.



## INSTALLATION TOOLS

<b>CAT-HIIT-21</b>	MORTISE LOCK CYLINDER GUIDE	<b>CALL</b>
<b>CAT-HIIT-22</b>	MORTISE LOCK DOUBLE CYLINDER GUIDE	<b>CALL</b>
<b>CAT-HIIT-50</b>	CYLINDRICAL LOCK BORE HOLES	<b>CALL</b>
<b>CAT-HIIT-111</b>	GRADE 1 CYLINDRICAL LOCK FACE HOLES	<b>CALL</b>
<b>CAT-HIT-60</b>	WIRE RACEWAY DRILL GUIDE FOR ELECTRIFIED LOCKS	<b>CALL</b>
<b>CAT-HIIT-66- CLAMP</b>	CLAMP SYSTEM FOR ALL HIT-66 GUIDES	<b>CALL</b>
<b>CAT-HIIT-66-110</b>	CYLINDRICAL LOCKS	<b>CALL</b>
<b>CAT-HIIT-66-282</b>	SCHLAGE L SERIES MORTISE LOCK	<b>CALL</b>
<b>CAT-HIT-32VD9W</b>	VON DUPRIN 98/99 WOOD RIM & SVR	<b>CALL</b>
<b>CAT-DT-200</b>	CYLINDRICAL LOCK BORE HOLES	<b>CALL</b>
<b>CAT-DT-100</b>	CYLINDRICAL LOCK BORE HOLES	<b>CALL</b>
<b>DOOR DOLLY 1</b>	MINI DOOR DOLLY	<b>CALL</b>
<b>DOOR DOLLY 2</b>	DOOR DOLLY	<b>CALL</b>

Command Access is not a licensee or affiliated, associated or connected with Allegion, Assa Abloy, Dorma, Stanley Security, Adams Rite, Arrow, Corbin Russwin, McKinney, Pemko, Rixson, Sargent, Yale, Dor-O-matic, Falcon, Ives, Monarch, Schlage, Von Duprin, Best, Precision, Accurate, AHT, Baldwin, Bommer, Cal Royal, CR Laurence, Design Hardware, Emtex, First Choice, FSB, General Lock, Hager, Jackson, Keedex, Lawrence, LSDA, Marks, Marshal-Best, Molex, Omnia, PBB, PDQ, or any of their subsidiaries or affiliates.

# ALWAYS HERE TO HELP!



**22901 E La Palma Ave Yorba Linda CA 92887**

**ELELCTRIFIED LOCKING HARDWARE**

**commandaccess.com**

**888-622-2377**

**www.connectionnetwork.com**

**Live Chat Available  
Customer Support 1-888-622-2377**

**WWW.COMMANDACCESS.COM**